Chattogram Water Supply & Sewerage Authority Monthly MIS Report November 2020

	Unit This month Year to date Previous This Evaluation Remarks *3							3	
		0			year	year	*2	++	Too good
					actual	target *1		!	Very bad
Selected Key Indicators									
E 17*	Non Revenue Water	%	17	22	28	25	12%		
C 4*	Revenue collection efficiency(monthly coll.+outstand. Coll.)/monthly	%	86	96	83	108	-20%		
D 9*	Collection period	Day	289	300	324	263	-14%		
F 2*	No. of perma. employee per 1000 connections(excl. non-perma. Em	Nos.	8.8	N/A	9.1	10.0	12%		
D 8*	Operating Ratio	Ratio	0.64	0.67	0.86	0.98	32%	++	
A 3.5*	Functioning meter rate of installed meter	%	89	N/A	87	100	-11%		
E 19	Water quality sample	No./month	150	750	1,200	150	0%		
E 18*	Leakage occurrence	No./km/mth	0.41	0.38	0.43	0.50	25%		
A 6*	Water supply coverage	%	58	N/A	57	75	-23%		
B 5*	Average tariff	Tk/m3	14.10	13.88	12.97	12.63	12%		
E 16*	Unit production cost (in/c Capt. Cost, Deprec. & Financial Expense.)	Tk/m3	8.46	10.21	10.55	13.44	24%		
A) Coni	nection data								
A 1	Total registered connections	Nos.	80,126	N/A	77,794	82,000	-2%		
A 1.1	Billable (non-disconnected) connection	Nos.	74,465	N/A	72,163	76,000	-2%		
A 1.2	Non-billable (disconnected) connection	Nos.	5,661	N/A	5,631	6000	6%		
A 1.3	Billed connection	Nos.	71,552	N/A	69,370	73,000	-2%		
A 2	Breakdown of billable connection (by customer type)								
A 2.1*	Domestic	%	97	N/A	97	96	1%		
A 2.2	Non-domestic	%	3	N/A	3	4	32%	++	
A 3	Breakdown of billable connection (by meter status)								
A 3.1	Metered	Nos.	65,958	N/A	62,294	66,000	0%		
A 3.2	Average reading	Nos.	8,252	N/A	9,603	10,000	17%		
A 3.3	Non meter	Nos.	255	N/A	266	0	#DIV/0!	#DIV/0!	
A 3.4*	Meter installation rate	%	100	N/A	100	100	0%		
A 3.5*	Functioning meter rate of installed meter	%	89	N/A	87	100	-11%		
A 4	Street Hydrant	Nos.	689	N/A	689	689	0%		
A 5	Religious Institutions	Nos.	368	N/A	368	368	0%		
A 6*	Water supply coverage	%	58	N/A	57	75	-23%		
A 7	Bill sent-out ratio	%	96	N/A	96	100	-4%		

		Unit	This month	Year to date	Previous	This	Evaluation	ation Remarks *3	
					year actual	year target *1	*2		good y bad
B) Tari	f				actual	target		: Very	bau
B 1	Domestic	Tk/m3	12.40	N/A	12.40	13.02	-5%		
B 2	Non-domestic	Tk/m3	30.30	N/A	30.30	31.82	-5%		
B 3	Street Hydrant	Tk/m3	12.40	N/A	12.40	13.02	-5%		
B 4	Religious Institutions	Tk/m3	12.40	N/A	12.40	13.02	-5%		
B 5*	Average tariff	Tk/m3	14.10	13.88	12.97	12.63	12%		
	ng and Collection	1101110	11.10	10.00	12.01	12.00	1270		
C 1	Total billing	Tk	120,746,661	589,422,479	1,199,365,227	1,572,449,000	-10%		
C 1.1*	-	Tk	105,273,773	507,764,367	1,022,107,233	1,140,313,000	7%		
C 1.2*		Tk	15,472,888	81,658,112	177,257,994	432,136,000	-55%	1	
C 2	Billed volume (Total Volume Accounted)	ML	8,566	42,470	92,471	124,480	-18%	·	
C 3	Total collection	Tk	104,180,657	567,469,383	999,936,576	1,700,275,000	-20%		
C 3.1*		Tk	95,836,969	471,188,225	904,252,954	1,429,446,000	-21%		
C 3.2*		Tk	8,343,688	96,281,158	95,683,622	270,829,000	-15%		
C 4*	Revenue collection efficiency(monthly coll.+outstand. Coll.)/monthly bill.	%	86	96	83	108	-20%		
C 4.1*		%	91	93	88	125	-27%	!	
C 4.2*		%	54	118	54	63	-14%	•	
	ncial data			-	-				
D 1	Revenue (Total)	Tk	134,602,271	677,275,942	1,247,632,906	2,237,451,000	-27%	!	
D 1.1	Water revenue	Tk	104,180,657	567,469,383	999,936,576	1,700,275,000	-20%		
D 1.2*	Tubewell license	Tk	3,230,704	24,960,858	88,080,389	90,000,000	-33%	!	
D 1.3*	Other operating revenues	Tk	19,274,243	45,262,368	64,615,941	352,176,000	-69%	!	
D 1.4*		Tk	7,916,667	39,583,333	95,000,000	95,000,000	0%		
D 2	Expenses (Total)	Tk	87,261,098	555,992,678	1,357,711,024	2,230,253,000	40%	++	
D 2.1*		Tk	29,719,098	176,925,678	421,236,024	512,607,000	17%		
D 2.2	Electricity cost	Tk	47,372,000	224,029,000	493,984,000	703,000,000	24%		
D 2.3	Chemicals	Tk	1,915,000	28,498,000	67,887,000	140,000,000	51%	++	
D 2.4*	Depreciation	Tk	0	25,301,000	90,200,000	101,204,000	92%	++	
D 2.5	Other operating cost	Tk	8,255,000	101,239,000	284,404,000	773,442,000	69%	++	
D 2.5.	1 Other O & M	Tk	7,745,000	22,652,000	91,126,000	143,702,000	62%	++	
D 2.5.	2 Capital cost from revenues	Tk	510,000	78,587,000	193,278,000	629,740,000	70%	++	
D 2.6*		Tk	0	0	0	0	#DIV/0!	#DIV/0!	
D 3	Net Income (Loss)	Tk	47,341,173	121,283,264	(110,078,118)	7,198,000	3944%	++	
D 4*	Cash at bank	Tk	0	N/A	0	0	N/A		
D 5*	Stock & stores	Tk	0	0	0	0	N/A		
D 6	Accounts Receivable	Tk	1,162,384,197	N/A	1,065,256,836	1,065,256,836	-9%		
D 6.1*	Accounts receivable from Government	Tk	252,445,608	N/A	211,109,539	211,109,539	-20%		
D 6.2*	Accounts receivable from Private	Tk	909,938,589	N/A	854,147,297	854,147,297	-7%		
D 7*	Long term loans	Tk	0	N/A	0	0	#DIV/0!	#DIV/0!	
D 8*	Operating Ratio	Ratio	0.64	0.67	0.86	0.98	32%	++	
D 9*	Collection period	Day	289	300	324	263	-14%		

		Unit	This month	Year to date	Previous	This		Remarks *3	
					year	year	*2	++	Too good
E) Wate	er Supply				actual	target *1		!	Very bad
E 3	Сарасіty of Surface WTP (Mohora+Sk.H.WTP+Moduna Gh	MLD	323	N/A	323	323	0%		
E 4	Capacity of Ground WTP	MLD	68	N/A	68	68	-1%		
E 5	Deep Tube Wells in Operation	Nos.	48	N/A N/A	42	44	9%		
E 6*	Capacity of DTW - direct distribution	MLD	37	N/A N/A	38	40	-7%		
E 7*	Capacity of DTW - supply to GWTP	MLD	0	N/A N/A	0	0	#DIV/0!	#DIV/0!	
E 8*	Capacity of distributable water production	MLD	428	N/A N/A	428	430	-1%	#010/0!	
E 9	Length of Pipeline		770	N/A N/A	770	920	-16%		
E 15*	Production (distributable water)	km ML	10,315.5	54,452	128,662	165,970	-16%		
E 15.1	,		•		0		-21% N/A		
	Unit production cost (in/c Capt. Cost, Deprec. & Financial Expense.)	ML Th/m 0	0	0	•	0			
E 16*		Tk/m3	8.46	10.21	10.55	13.44	24%		
E 17*	Non Revenue Water	% N= ////	17	22	28	25	12%		
E 18*	•	No./km/mth	0.41	0.38	0.43	0.50	25%		
E 19	Water quality sample	No./month	150	750	1,200	150	0%		
E 20*	Satisfactory sample in chlorine level	%	100	100	100	100	0%		
E 21*	Satisfactory sample in microbiological level	%	100	100	100	100	0%		
F) Perso									
F 1	No. of permanent employees (Total)	Nos.	654	N/A	658	730	10%		
F 1.1	Grade-3-9	Nos.	58	N/A	57	70	N/A	++	
F 1.2	Grade-10-11	Nos.	55	N/A	55	60	N/A	++	
F 1.3	Grade-12-16	Nos.	293	N/A	291	315	N/A	++	
F 1.4	Grade-17-20	Nos.	248	N/A	255	285	N/A	++	
F 5	No. of non-permanent employees (Total)	Nos.	0	N/A	0	0	#DIV/0!	#DIV/0!	
F 5.1	Work charge (6 month contract worker)	Nos.	0	N/A	0	0	N/A	++	
F 5.2	Master roll (Daily basis casual worker)	Nos.	0	N/A	0	0	N/A	++	
F 5.3	Project staff (hired by project budget)	Nos.	41	N/A	32	170	N/A	++	
F 2*	No. of perma. employee per 1000 connections(excl. non-perma. Empl.)	1	8.8	N/A	9.1	10.0	12%		
F 3	Average Monthly Salary	Tk	25,021	N/A	17,366	19,960	-25%	!	
F 4*	% of Overtime to Basic Salary	%	40	N/A	15	32	-25%		
	omer Services								
G 1	New Service Connection								
G 1.1	Service Connection Application Received	Nos.	454	2,202	4,305	6,000	-12%		
G 1.2	Service Connection given	Nos.	469	1,891	3,745	5,000	-9%		
G 2	Billing complaints								
G 2.1	Complaints received	Nos.	200	950	2,115	4,500	49%	++	
G 2.2	Complaints acted on	Nos.	170	750	1,854	3,500	49%	++	
G 3	Leakage complaints received and attended	Nos.	318	1,444	3,993	5,000	31%	++	

Notes:

N/A = not applicable (= pointless to calculate, or nonexistent)

Some numbers may show the same value in spite of different values, which is due to rounding.

- *1: "this year target" can be set according to (1) Business Plan, (2) Performance Agreement, (3) discussion with D M D (Engineering), (same or modified value of previous year)
- *2: Evaluation is made on the basis of variance from the set target. An evaluation result "X %" means that performance of particular indicator is X % better than what is set as the target. if the NRW is 24% and the target is 20%, this performance is considered unfavorable. The evaluation result is shown as -20% (= 1 24 / 20).
 - If the number of water quality sample is recorded as 24 when the target is set at 20, this performance can be considered favorable. The evaluation result is shown as 20% (= 24 / 20 1).
- *3: A warning sign " ++ " appears when the evaluation result exceeds 25%, which is considered as the high-end threshold indicating "too good".
 - A warning sign "!" appears when the evaluation result is less than 25%, which is considered as the low-end threshold indicating "very bad".
- A2.1: If the total number of billable connections is 45,000 and the number of domestic connections in billable connections is 36,000, this will be 80% (= 36000 / 45000).
- A3.4: Meter installation rate = 1 (number of non-meter connection / number of billable connection).
- A6*: Water Supply Coverage=(Billed Connection x 26 Person per Connection + Total Street Hydrant x 80 Person per Street Hydrant) / Total Population in Water Supply Area *100.
- A7: Bill sent-out ratio = Billed connection / Billable connection x 100.
- B5: Average water tariff = total billing / total billed volume
- C1.1: "Private" includes private customers and users of loose water (sold by bowser)
- C1.2: "Government" includes government users, street hydrants and religious institutions
- C3.1: Same as C1.1
- C3.2: Same as C1.2
- C4: Revenue collection efficiency = collection /billing x 100. CWASA's existing accounting system cannot classify accounts receivable by age.

Therefore the revenue collection efficiency can be shown merely as (total collection during a period ÷ total billing during the same period).

- C4.1: Same as C4
- C4.2: Same as C4
- C5: Metered volume to billed volume ratio data currently becomes available twice a year due to capacity limitation of computer section.
- D1.2: "License and renewal fee of tubewell" in "other operating revenue"
- D1.3: Excludes "License and renewal fee of tubewell
- D1.4: As the interest income is not obtainable until the year end, a proxy value is used here so that the net income can be computed. The proxy value is the previous year's monthly interest.
- D2.1: Includes salary & allowances, provident fund, gratuity, festival bonus, overtime and earn leave encashment
- D2.4: Data is only available guarterly instead of monthly. The cost of the latest three month is converted to a monthly average and shown in the monthly data column.
- D2.6: Data is only available quarterly instead of monthly. The cost of the latest three month is converted to a monthly average and shown in the monthly data column.
- D4: Under the current system, this value is not obtainable until the year end. However it is expected to become obtainable monthly in the future.
- D5: Under the current system, this value is not obtainable until the year end. However it is expected to become obtainable monthly in the future.
- D6.1: Same as C1.1
- D6.2: Same as C1.2
- D7: Long term liabilities outstanding as unpaid at the end of month
- D8: To see more clearly the CWASA capacity to generate the operating profit before depreciation and interest,

the operating ratio is defined as (personnel cost + elec. cost + chemical cost + other O & M) / (total Revenues).

- D9: Collection period = (accounts receivable) / (monthly billings/number of days in month)
- E6: Production capacity of deep tube wells that supply water directly to users
- E7: Production capacity of deep tube wells that supply water to Karulgaht WTP
- E15: Distributable water (or system input water) = Water produced at Surface WTP + Water produced at Ground WTP + Water directly distributed from DTW
- E15.1: Raw water distributed directly to users from some DTWs on the way to boosters are not included in the distributable water (E15).
- E16: Unit production cost =Expenses(Total)/((Dstributable Water Volume+DTW Water directly distributed)*1000)
- E17: NRW = (unbilled water / water produced x 100) = [1 billed water / (distributable water production + DTW Water directly distributed) 1 x 100
- E18: Leakage occurrence = Number of leakage recognized by complaint / length of pipeline at the end of period / number of months covered
- E20: This is the rate of satisfactory sample complying with the chlorine standard.
- E21: This is the rate of satisfactory sample complying with the microbiological standard.
- F2: No. of employee per 1000 connections = (number of permanent staff + non-permanent staff) / (total billable connections/1000)
- F4: Only staff workers (Class 3 and Class 4) receive overtime. Thus this ratio is computed based on Class 3 and Class 4 workers' pay.